



AME HOSPITAL FURNISHING CATALOG- *Mobility Aids*



Head Office:
AME GLOBAL FZE
www.ameglobalfze.com
Email : info@ameglobalfze.com

North America Distributor Office:
AME WORLDWIDE LLC
www.ameworldwide.com
Email: info@ameworldwide.com

Local Distributor:
Almania Drugs Store
www.almaniame.com
Email: info@almaniame.com





Aluminum Walker

www.ameglobalfze.com



HH501 Aluminum Walker

- One button folding with castor
- Detachable frame
- Non-reciprocating

HH502 Aluminum Walker

- Two button folding with castor
- Detachable frame
- Non-reciprocating

HH503 Aluminum Walker

- Two button folding
- Non-reciprocating

SPECS(cm)						PC/CTN	(Kg)		CNTS 20 FCL	CNTS 40 HQ
MODEL					DIM					
HH501	60	11	48	79-96.5	51*15*50	1	100	2.9/3.6	800	1928
HH502	61	10	51	79-96.5	51*15*50	1	100	2.9/3.6	629	1584
HH503	61	10	47	79-93.5	57*27*80	4	100	12/13	877	2209



Aluminum Walker



HH504 Aluminum Walker

- Two button folding with castor
- Non-reciprocating

HH505 Aluminum Walker

- Two paddle folding
- Non-reciprocating

HH506 Aluminum Walker

- Two paddle folding with castor
- Non-reciprocating

HH507 Aluminum Walker

- One button folding
- Reciprocating Frame

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH504	64	10	51	79-96.5	57*27*83	4	100	13/14	912	2064
HH506	64	11	51	77-96.5	60*28*83	4	100	11/12	803	2023
HH507	52	10	46	76-93.5	53*26*78	4	100	8.8/10.3	1188	2676



Aluminum Walker



HH508 Aluminum Walker

- One button folding with castor
- Non-reciprocating



HH509 Aluminum Walker

- One button folding
- Non-reciprocating



HH510 Aluminum Walker

- One button folding with castor
- Non-reciprocating

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NWGW	CNTS 20 FCL	CNTS 40 HQ
HH508	60	10	46	76-93.5	61*27*77	4	100	10.5/12	948	2172
HH509	56	10	51	74-86.5	58*27*74	4	100	9.2/10.7	1044	2464
HH510	61	13	55	76-93	61*27*78	4	100	9.2/10.7	948	2172



Aluminum Walker

www.ameglobalfze.com



HH511 Aluminum Walker

- One button folding with bag
- Non-reciprocating



HH512 Aluminum Walker

- Two paddle folding with seat
- Non-reciprocating

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	Kgs NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH511	60	10	47	70-83	57*27*76	4	100	8.5/10	1044	2464
HH512	56	12	46	76-93	58*27*80	4	100	10.2/11.7	862	2171



Aluminum Walker

www.ameglobalfze.com



HH513 Aluminum Walker

- Two button folding
- Non-reciprocating



HH514 Aluminum Walker

- Two button folding with castor
- Non-reciprocating



HH515 Aluminum Walker

- One button folding
- Reciprocating frame



HH516 Aluminum Walker

- One button folding with castor
- Non-Reciprocating frame

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NWGW	CNTS 20 FCL	CNTS 40 HQ
HH513	55	10	47	81-98	57*27*80	4	100	10.4/11.9	877	2209
HH514	64	11	51	80-97	57*27*83	4	100	11.6/13.1	845	2129
HH515	52	10	46	76-93	53*27*78	4	100	10/11	1188	2676
HH516	60	10	51	77-95	58*28*82	4	100	11/12	896	2064



Aluminum Walker

www.ameglobalfze.com



HH517 Aluminum Walker

HH518 Aluminum Walker

HH519 Aluminum Walker

HH520 Aluminum Walker

- One button folding with castor
- Non-reciprocating

- One button folding with castor
- Non-reciprocating

- One button folding
- Non-reciprocating

- One button folding
- Reciprocating

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH517	58	12.5	53	80-90	53*15*68	2	100	5.6/12	924	1872
HH518	65	12.5	55	80-90	53*15*68	2	100	6.5/14	924	1872
HH519	60	10	47	70-83	57*27*76	4	100	8.5/10	1044	2464
HH520	52	10	46	76-93	57*27*76	4	100	8.5/10	1044	2464



Aluminum Walker



HH521 Aluminum Walker

- Foldable Frame



HH522 Aluminum Walker

- Foldable Frame



HH523 Aluminum Walker

- Foldable Frame

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH521	63	22	61	83-90	68*44*82	4	100	8/9	384	1020
HH522	46		44	76-86	45*18*80	2	100	6/7	200	500
HH523	58		58	81-93	58*33*75	1	100	4.3/9	594	1224



Aluminum Walker



HH524 Aluminum Walker

- Foldable Frame



HH525 Aluminum Walker

- Foldable Frame



HH526 Aluminum Walker

- Foldable Frame

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH524	35		51	52-62	45*28*65	2	100	6/7	108	231
HH525	50		61	82-92	60*35*93	2	100	12/13	150	300
HH526	58		58	81-93	58*33*75	1	100	4.3/9	594	1224



Aluminum Walker



HH527 Trolley Walker

- Steel frame-powder coated



HH528 Trolley Walker

- Steel frame-powder coated



HH529 Aluminum Walker

- Foldable frame



HH530 Aluminum Walker

- Height Adjustable

SPECS(cm) MODEL					DIM	PC/CTN	(Kg)	NWGW	CNTS 20 FCL	CNTS 40 HQ
HH527	58		58	81-93	58*33*75	2	100	4.3/9	400	940
HH528	58		58	81-93	58*33*75	2	100	4.3/9	400	940
HH529	55		54	75	76*26*100	4	100	6/7	1380	3120
HH530	68	20	65	84-92	96*63*36	4	100	8/9	1260	3360



Aluminum Walker

www.ameglobalfze.com



HH534 Over bed Table

- Size: 41 x 109 x 75-91CM

HH535 Over bed Table

- Size: 61 x 40 x 61-91CM



HH536 Backrest

- Aluminum Frame, powder coated
- Size: 63 x 46 x 47-63CM

HH535 Bedside rail

- Steel Frame- chrome
- Size: 94 x 51 x 43.5-53.5CM



Aluminum Walker

www.ameglobalfze.com



HH531 Aluminum walker

- Height adjustable



HH532 Aluminum walker

- Height adjustable



Aluminum Walker

www.ameglobalfze.com



HH538 Pedal Exerciser

- Steel Frame-chrome
- Size: 40 x 51 x 55-83CM

HH539 Pedal Exerciser

- Steel Frame- chrome
- Size: 40 x 51 x 55-83CM

HH540 Pedal Exerciser

- Steel Frame- chrome
- Size: 40 x 51 x 25CM



Walking Stick

www.ameglobalfze.com



Chrome
HH701



Bronze
HH702



Black
HH703



L
HH704



M
HH705




S
HH706

SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 Kg NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH701	78.7-94	79*23*45	10	100	6/7	6000	15111
HH702	78.7-94	79*23*45	10	100	6/7	6000	15111
HH703	78.7-94	79*23*45	10	100	6/7	6000	15111
HH704	125-155	130*33*29	20	100	9/10	4500	10620
HH705	94-109	100*33*29	20	100	8/9	5600	12600
HH706	74-94	80*33*29	20	100	8/9	5600	12600



Walking Stick



SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 Kgs NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH707	134-154	140*33*29	20	100	9/10	4480	10440
HH708	113-133	120*33*29	20	100	7.8/9.3	5600	12600
HH709	84-114	101*33*29	20	100	8/9.5	5600	12600
HH710	132-152	137*33*29	20	100	8/9.5	4640	10620
HH711	112-133	117*33*29	20	100	7.6/9.1	5600	12600
HH712	84-114	99*33*29	20	100	7/8.5	6240	15120



Walking Stick



HH730

HH731

HH732

HH733

HH734

HH735

HH736

SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH730	73-96	76*29*45	10	100	7.6/9.1	2600	6150
HH731	73-96	76*29*45	10	100	7.6/9.1	2600	6150
HH732	73-96	76*29*45	10	100	7.6/9.1	2600	6150
HH733	73-96	76*38*45	10	100	7.5/9	4065	10237
HH734	72-95	79*33*45	10	100	9.2/10.7	2450	6000
HH735	72-95	79*33*45	10	100	9.2/10.7	2450	6000
HH736	70-94	79*23*45	10	100	7.4/8.9	3600	8250
HH737	70-94	79*23*45	10	100	7.4/8.9	3600	8250



Walking Stick



SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH757	85-100	72*30*34	10	100	0.5/6.4	2600	6150
HH758	73-88	79*34*44	10	100	0.78/8.8	2600	6150
HH759	72-95	79*34*44	10	100	0.9/11	2600	6150
HH760	72-95	79*34*44	10	100	0.9/11	2600	6150
HH761	72-95	78*29*36	10	100	0.8/8.8	2600	6150
HH762	72-95	78*29*36	10	100	0.8/8.8	2600	6150



Walking Stick



HH742



HH743



HH744



HH745



HH746



HH756



L

S



B

G



HH755

SIZE KEY: NEXT PAGE



Walking Stick



HH747



HH748



HH749



HH750



HH751



HH752



HH753



HH754

SIZE KEY: NEXT PAGE



Walking Stick

www.ameglobalfze.com



HH738



HH739



HH740



SPECS(cm) MODEL	H	DIM	PC/CTN	(Kg)	Kga NWGW	CNTS 20 FCL	CNTS 40 HQ
HH742	75-98	100*30*30	20	100	10/11	5460	13280
HH743	75-98	100*30*30	20	100	10/11	5460	13280
HH744	75-98	100*30*30	20	100	10/11	5460	13280
HH745	75-98	100*30*30	20	100	10/11	5460	13280
HH746	75-98	100*30*30	20	100	10/11	5460	13280
HH747	70-93	66*27*19	20	100	6/7	18080	42120
HH748	70-93	66*27*19	20	100	6/7	18080	42120
HH749	70-93	66*27*19	20	100	6/7	18080	42120
HH750	70-93	66*27*19	20	100	6/7	18080	42120
HH751	70-93	66*27*19	20	100	6/7	18080	42120
HH752	70-93	66*27*19	20	100	6/7	18080	42120
HH753	70-93	66*27*19	20	100	6/7	18080	42120
HH754	70-93	66*27*19	20	100	6/7	18080	42120
HH755	70-93	66*27*19	20	100	6/7	18080	42120
HH756	70-93	66*27*19	20	100	6/7	18080	42120
HH738	87	90*30*45	6	100	9/10	2300	5700
HH739	87	90*30*45	6	100	9/10	2300	5700
HH740	84	86*30*41	10	100	8/9	2500	6000
HH741	54	90*30*45	6	100	9/10	2300	5700



Walking Stick

www.ameglobalfze.com



HH757



HH758



HH759






HH760



HH761



HH762

SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH757	87-117	96*30*30	20	100	10/11	5880	13760
HH758	95-126	86*27*30	20	100	10/11	7280	17280
HH759	104-134	95*30*30	20	100	12/13	5880	13760
HH760	94-124	88*30*30	20	100	11/12	6160	14880
HH761	84-114	85*30*30	20	100	11/12	6440	15680
HH762	64-91	64*30*30	20	100	10/11	8820	20640



Walking Stick

www.ameglobalfze.com



SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 Kgs NWAGW	CNTS 20 FCL	CNTS 40 HQ
HH763	75-98	75*40*19	20	100	6/7	9820	22080
HH764	75-98	75*40*19	20	100	6/7	9820	22080
HH765	78-100	79*40*19	20	100	6/7	9100	21300
HH766	78-100	79*40*19	20	100	6/7	9100	21300
HH767	88	75*40*19	20	100	6/7	9820	22080



Walking Stick

www.ameglobalfze.com



SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH768	67-90	66*17*29	20	100	6/7	18080	42120
HH769	67-90	66*17*29	20	100	6/7	18080	42120
HH770	67-90	66*17*29	20	100	6/7	18080	42120
HH771	67-90	66*17*29	20	100	6/7	18080	42120
HH772	67-90	66*17*29	20	100	6/7	18080	42120
HH773	77-100	66*17*29	20	100	6/7	18080	42120



Walking Stick

www.ameglobalfze.com



HH775



HH776






HH778



HH779



SPECS(cm) MODEL	H	 DIM	PC/CTN	 (Kg)	 Kgs NW/GW	CNTS 20 FCL	CNTS 40 HQ
HH775	80-87	66*17*29	20	100	6/7	18080	42120
HH776	80-87	66*17*29	20	100	6/7	18080	42120
HH778	80-87	66*17*29	20	100	6/7	18080	42120
HH779	119	53*13*26	20	100	3/4	31680	75600